

Selected Scientific References related to RASC & CASC

Agterberg, F.P., 1990. Automated stratigraphic correlation. Elsevier Publ. Co., Amsterdam, 424 p.

F. P. Agterberg, F.P. and L.D. Nel, 1982a. Algorithms for the ranking of stratigraphic events. Computers and Geosciences, vol. 8, no. 1, p. 69 - 90.

Agterberg, F.P. and L. D. Nel, 1982b. Algorithms for the scaling of stratigraphic events. Computers and Geosciences, vol. 8, no. 2, p. 163 - 189.

Agterberg, F.P., Gradstein, F.M., Nel, L.D., Lew, S.N., Heller, M., Gradstein, W.S., D'Iorio, M.A., Gillis, D. and Huang, Z., 1989. Program RASC (Ranking and Scaling) version 12. Committee Quantitative Stratigraphy, Bedford Institute Oceanography, Dartmouth, N.S., Canada.

Agterberg, F.P., Oliver, J., Lew, S.N., Gradstein, F.M. and Williamson, M.A., 1985. CASC Fortran IV interactive computer program for correlation and scaling in time of biostratigraphic events. Geological Survey of Canada, Open File Report 1179.

Agterberg, F.P. and Gradstein, F.M., 1999. The RASC method for Ranking and Scaling of Biostratigraphic Events. In: Proceedings Conference 75th Birthday C.W. Drooger, Utrecht, November 1997. Earth Science Review, vol 46, nos 1-4, p. 1 – 25.

Agterberg, F., Gradstein, F. and Gang Liu, in prep. Frequency Distribution of Thickness of Sediments Bounded by Cenozoic Biostratigraphic Events in Wells Drilled Offshore Norway and along the Northwestern Atlantic Margin. Earth Science Resources.

Bonham-Carter, G.F., Gradstein, F.M., D'Iorio, M.A., 1986. Distribution of Cenozoic Foraminifera from the Northwestern Atlantic Margin analyzed by Correspondence Analysis. Computers and Geosciences, vol 12, p. 621 – 635.

Brower, J.C. and Burroughs, W.A., 1982. A simple method for quantitative biostratigraphy. In: Quantitative Stratigraphic Correlation. Wiley-Interscience, New York, p. 61 - 84.

Cooper, R.A., Crampton, J.S., Raine, J.I., Saddler, P.M., and Gradstein, F.M., 2000. Quantitative Biostratigraphy of the Taranaki Basin – A Deterministic and Probabilistic Approach. Bull. American Association Petroleum Geology.

Doeven, P.H., Gradstein, F.M., Jackson, A., Agterberg, F.P. and Nel., L.D., 1982. A quantitative nannofossil range chart. Micropaleontology, 28, p. 85-92.

D'Iorio, M.A., 1986. Integration of foraminiferal and dinoflagellate data sets in quantitative stratigraphy of the Grand Banks and Labrador Shelf. Bull. Canadian Petrol. Geology 34, p. 277 - 283.

D'Iorio, M.A., 1990. Sensitivity of the RASC model to its critical probit value. In: Agterberg, F.P. and Bonham Carter, G.F., eds. Statistical Applications in the Earth Sciences. Geological Survey of Canada, Paper 89 - 9.

- D'Iorio, M.A. and Agterberg, F.P., 1989. Marker event identification technique and correlation of Cenozoic biozones on the Labrador Shelf and Grand banks. *Bull. Canadian Petroleum Geol.*, 37, p. 346-357.
- Gradstein, F.M., 1984. On stratigraphic normality. *Computers and Geosciences* v. 19, p. 43-57.
- Gradstein, F.M., 2005. Quantitative Methods for Applied Microfossil Biostratigraphy. In: Koutsoukos, E. (ed), *Applied Stratigraphy*, Springer Verlag, The Netherlands, p. 359-386.
- Gradstein, F.M. and Agterberg, F.P., 1982. Models of Cenozoic foraminiferal stratigraphy, northwestern Atlantic Margin. In: 'Quantitative Stratigraphic Correlation', eds. J.M. Cubitt and R.A. Reament, Wiley, Chichester, p. 119 - 173.
- Gradstein, F.M. and Bäckström, S.A., 1996. Cainozoic Biostratigraphy and Palaeobathymetry, northern North Sea and Haltenbanken. *Norsk Geologisk Tidsskrift*, 76, p. 3 - 32.
- Gradstein, F.M. and Agterberg, F.P., 1998. Uncertainty in stratigraphic correlation. In: 'Sequence Stratigraphy, Concepts and Applications', Norwegian Petroleum Society, Elsevier, Amsterdam, p. 9-29.
- Gradstein, F.M. & Agterberg, F.P., 1999. RASC and CASC - Tools for the Biostratigraphic Workstation- Users Guide. Authors Edition, Version 17.
- Gradstein, F.M., Kaminski, M.A., and Agterberg, F.P., 1999. Biostratigraphy and Paleoceanography of the Cretaceous Seaway between Norway and Greenland. In: Proceedings Conference 75th Birthday C.W. Drooger, Utrecht, November 1997. *Earth Science Review* vol 46, nos 1-4, p. 27 – 98.
- Gradstein, F.M., Agterberg, F.P., Brower, J.C., and Schwarzacher, W., 1985. Quantitative Stratigraphy. Reidel Publ. Co. & Unesco, 598 p.
- Gradstein, F.M., Huang, Z., Merrett, D. and Ogg, J.G., 1992. Probabilistic zonation of Early Cretaceous microfossil sequences, Atlantic and Indian Oceans, with special reference to ODP Leg 123. In: *Proceedings Ocean Drilling Project, Scientific Results*, Leg 123, p. 759-777.
- Gradstein, F.M., Kaminski, M.A., Berggren, W.A., Kristiansen, I.L., and D'Iorio, M., 1994. Cainozoic Biostratigraphy of the North Sea and Labrador Shelf. *Micropaleontology*, volume 40, supplement 1994, 152 pp.
- Gradstein, F.M., Bowman, A., Lugowski, A., and Hammer, O., in prep. Increasing Resolution in Exploration Biostratigraphy – Parts 1 and 2.
- Harper, C.W., Jr., 1984. A Fortran IV program for comparing ranking algorithms in quantitative biostratigraphy. *Computers and Geosciences* 10, p. 3-29.
- Hay, W. W., 1972. Probabilistic stratigraphy. *Eclogae Geol. Helv.* 65, (2) p. 255 - 266.

Hay, W.W. and Southam, J.R., 1978. Quantifying biostratigraphic correlation. Annual Review of Earth and Planetary Sciences, 6, p. 353 - 375.

Heller, M., Gradstein, W.S., Gradstein, F.M., Agterberg, F.P. and Lew, S.N., 1985. RASC Fortran 77 computer program for ranking and scaling of biostratigraphic events. Geological Survey of Canada, Open File 1203.

Hill, M.O., 1979. DECORANA – a FORTRAN program for detrended correspondence analysis and reciprocal averaging: ecology and systematics. Cornell University, Ithaca, New York, 52 p.

Kaminski, M.A., and Gradstein, F.M., 2005. Atlas of Cosmopolitan Deep-water Agglutinated Foraminifera (Paleogene). Grzybowksi Foundation, Spec. Publ. 10, London, U.K., 584p.

Kemple, W.G-, Sadler, P.M., and Strauss, D.J., 1995. Extending graphic correlation to many dimensions: stratigraphic correlation as constrained optimization. SEPM Spec. Publ. 53, p. 65 - 82.

Mann, K.O and Lane, R.H., eds., 1995. Graphic Correlation. Society for Sedimentary Geology, Special Publication no 53, 263 p.

Van Buggenum, J.M., 1991. The range chart method: An approach toward the creation of a range chart for biostratigraphic events. Geologie Africaine, Coll. Geol. Libreville, Recueil des Communic., 6-8 May 1991, p. 181 - 187.

Whang, Ping and Zhou Di, 1998. The application of RASC/CASC methods to quantitative biostratigraphic correlation of Neogene in northern South China Sea. In: Proceedings 30th International Geological Congres, Beijing, 1996.

Williamson, M.A., 1987. Quantitative biozonation of the Late Jurassic and Early Cretaceous of the East Newfoundland Basin. Micropaleontology 33, p. 37 - 65.